

## 106 to 114 Day Hybrids Replicated Test Results - BRH 2009

Area	Loc	Hybrid	Mat	Yield	% of Loc Average	Moist	% SL	% RL	Popn
IL/In	NewHaven,IN	56M30	106	213.8	104.0%	30.65	0.8	0.0	34000
IL/In	Remington,IN	56M30	106	174.2	84.7%	27.40	2.2	0.0	34000
IL/In	IL,Geneseo	56M30	106	205.1	99.8%	28.22	0.0	0.0	24750
IL/In	IL,Rochelle	56M30	106	209.5	101.9%	23.10	7.5	0.0	30000
IL/In	IL,Tonica	56M30	106	223.9	108.9%	25.11	0.0	9.5	30000
IL/In	IL,Walnut Grove	56M30	106	189.7	92.3%	20.80	0.0	0.0	30000
IL/In	PAN:Brookston,IN	56M30	106	209.3	101.8%	18.10	1.4	0.0	31680
IL/In	PAN:Linden,IN	56M30	106	200.5	97.5%	15.65	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	56M30	106	201.5	98.0%	25.50	0.0	0.0	30500
<b>IL/In Average</b>				203.1	98.8%	23.84	1.3	1.1	30734
Iowa	IA,Atalntic	56M30	106	217.7	116.9%	21.11	0.9	0.0	30000
Iowa	IA,Schaller	56M30	106	228.1	122.5%	28.28	0.0	56.2	30000
Iowa	IA,Slater	56M30	106	211.7	113.7%	24.92	0.0	0.0	30060
Iowa	ISU:Malvern,IA	56M30	106	169.0	90.8%	17.95	4.2	0.0	30000
Iowa	ISU:Winfield,IA	56M30	106	142.0	76.3%	20.59	0.0	5.9	30000
Iowa	PAN:Grinnell,IA	56M30	106	183.9	98.8%	24.25	0.0	0.0	30263
Iowa	PAN:Monticello,IA	56M30	106	190.2	102.1%	27.95	0.0	0.0	30263
<b>Iowa Average</b>				191.8	103.0%	23.58	0.7	8.9	30084
Nebr	HG:Henderson,NE	56M30	106	216.1	100.0%	20.45	0.0	0.0	30750
Nebr	HG:Hooper	56M30	106	172.1	79.7%	21.70	1.0	0.0	24750
Nebr	KMR:Kearney,NE	56M30	106	223.3	103.4%	18.01			29839
Nebr	NE,Arlington	56M30	106	216.3	100.1%	21.89	2.5	0.0	30000
Nebr	NE,Homer	56M30	106	180.6	83.6%	17.90	0.0	0.0	30000
Nebr	NE,York	56M30	106	240.7	111.4%	19.65	8.3	1.7	30000
Nebr	PAN:Columbus,NE	56M30	106	212.0	98.1%	20.10	0.8	0.0	30263
<b>Nebr Average</b>				208.7	96.6%	19.96	2.1	0.3	29372
IL/In	NewHaven,IN	57H36	107	204.7	99.6%	31.10	0.0	0.0	34000
IL/In	Remington,IN	57H36	107	199.4	97.0%	24.75	2.9	0.0	34000
IL/In	IL,Geneseo	57H36	107	222.1	108.0%	28.98	1.1	0.0	25250
IL/In	IL,Rochelle	57H36	107	200.1	97.3%	23.46	1.7	0.0	30000
IL/In	IL,Tonica	57H36	107	218.7	106.4%	25.80	1.0	1.5	30000
IL/In	IL,Walnut Grove	57H36	107	226.0	109.9%	22.68	0.0	0.0	30000
IL/In	PAN:Brookston,IN	57H36	107	195.0	94.8%	20.75	0.7	0.0	31680
IL/In	PAN:Linden,IN	57H36	107	171.4	83.4%	17.90	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	57H36	107	204.8	99.6%	25.25	1.8	0.0	29750
<b>IL/In Average</b>				204.7	99.6%	24.52	1.0	0.2	30707
Iowa	IA,Atalntic	57H36	107	168.6	90.5%	23.95	0.0	0.0	30000
Iowa	IA,Schaller	57H36	107	214.8	115.4%	29.73	0.0	33.8	30000
Iowa	IA,Slater	57H36	107	171.6	92.2%	25.35	0.0	0.0	30060
Iowa	ISU:Malvern,IA	57H36	107	156.4	84.0%	17.98	6.7	0.0	30000
Iowa	ISU:Winfield,IA	57H36	107	106.2	57.0%	20.98	0.0	11.7	30000
Iowa	PAN:Grinnell,IA	57H36	107	188.4	101.2%	24.65	0.0	0.0	30263
Iowa	PAN:Monticello,IA	57H36	107	171.2	91.9%	29.60	0.0	0.0	30263

12/18/09

## 106 to 114 Day Hybrids Replicated Test Results - BRH 2009

<b>Iowa Average</b>				168.2	90.3%	24.61	1.0	6.5	30084
Nebr	HG:Henderson,NE	57H36	107	223.8	103.6%	22.10	1.5	0.0	32750
Nebr	HG:Hooper	57H36	107	181.0	83.8%	21.75	1.1	0.0	24000
Nebr	KMR:Kearney,NE	57H36	107	234.0	108.3%	19.80			28967
Nebr	NE,Arlington	57H36	107	232.4	107.6%	22.95	5.8	0.0	30000
Nebr	NE,Homer	57H36	107	203.4	94.2%	18.30	0.0	0.0	30000
Nebr	NE,York	57H36	107	221.2	102.4%	20.48	10.0	0.0	30000
Nebr	PAN:Columbus,NE	57H36	107	218.9	101.3%	22.05	0.0	0.0	30263
<b>Nebr Average</b>				216.4	100.2%	21.06	3.1	0.0	29426
IL/In	NewHaven,IN	58B07	108	216.1	105.1%	31.25	0.8	0.0	34000
IL/In	Remington,IN	58B07	108	195.3	95.0%	24.60	1.5	0.0	34000
IL/In	IL,Geneseo	58B07	108	184.7	89.8%	28.53	3.8	0.0	21250
IL/In	IL,Rochelle	58B07	108	197.8	96.2%	23.33	10.8	0.0	30000
IL/In	IL,Tonica	58B07	108	195.9	95.3%	26.44	0.0	0.0	30000
IL/In	IL,Walnut Grove	58B07	108	195.6	95.1%	22.20	0.0	0.0	30000
IL/In	PAN:Brookston,IN	58B07	108	205.9	100.1%	21.15	1.4	0.0	31680
IL/In	PAN:Linden,IN	58B07	108	146.4	71.2%	15.55	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	58B07	108	204.7	99.6%	26.85	3.4	0.0	30750
<b>IL/In Average</b>				193.6	94.2%	24.43	2.4	0.0	30373
Iowa	IA,Atalntic	58B07	108	204.9	110.0%	20.71	4.2	1.7	30000
Iowa	IA,Schaller	58B07	108	227.0	121.9%	28.59	0.0	44.6	30000
Iowa	IA,Slater	58B07	108	167.9	90.2%	28.18	0.0	0.0	30060
Iowa	ISU:Malvern,IA	58B07	108	172.4	92.6%	19.55	0.0	0.9	30000
Iowa	ISU:Winfield,IA	58B07	108	138.7	74.5%	21.59	0.0	1.7	30000
Iowa	PAN:Grinnell,IA	58B07	108	187.5	100.7%	23.75	0.0	0.0	30263
Iowa	PAN:Monticello,IA	58B07	108	165.7	89.0%	26.90	0.0	0.0	30263
<b>Iowa Average</b>				180.6	97.0%	24.18	0.6	7.0	30084
Nebr	HG:Henderson,NE	58B07	108	191.7	88.8%	23.05	0.0	3.3	31000
Nebr	HG:Hooper	58B07	108	149.4	69.2%	21.70	1.0	0.0	25250
Nebr	KMR:Kearney,NE	58B07	108	225.9	104.6%	19.79			31146
Nebr	NE,Arlington	58B07	108	245.1	113.5%	23.61	0.9	0.0	30000
Nebr	NE,Homer	58B07	108						
Nebr	NE,York	58B07	108	233.6	108.1%	19.80	10.9	2.5	30000
Nebr	PAN:Columbus,NE	58B07	108	202.9	93.9%	20.75	0.0	0.0	30263
<b>Nebr Average</b>				208.1	96.3%	21.45	2.6	1.2	29610
IL/In	NewHaven,IN	PIONEER 34A15	108	200.2	97.4%	30.60	0.8	0.8	34000
IL/In	Remington,IN	PIONEER 34A15	108	184.9	89.9%	26.10	0.8	0.0	34000
IL/In	IL,Geneseo	PIONEER 34A15	108	218.6	106.3%	28.95	0.0	0.0	22000
IL/In	IL,Rochelle	PIONEER 34A15	108	219.2	106.6%	25.06	0.9	0.0	30000
IL/In	IL,Tonica	PIONEER 34A15	108	200.3	97.4%	24.75	0.0	0.0	30000
IL/In	IL,Walnut Grove	PIONEER 34A15	108	185.3	90.1%	24.07	0.0	0.0	30000
IL/In	PAN:Brookston,IN	PIONEER 34A15	108	204.7	99.6%	19.35	0.0	0.0	31680
IL/In	PAN:Linden,IN	PIONEER 34A15	108	179.6	87.4%	18.55	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	PIONEER 34A15	108	198.4	96.5%	27.25	0.0	0.0	27500

12/18/09

106 to 114 Day Hybrids Replicated Test Results - BRH 2009

<b>IL/In Average</b>				199.0	96.8%	24.96	0.3	0.1	30096
Iowa	IA,Atalntic	PIONEER 34A15	108	208.4	111.9%	21.30	0.0	0.8	31750
Iowa	IA,Schaller	PIONEER 34A15	108	239.3	128.5%	28.30	0.0	41.7	30000
Iowa	IA,Slater	PIONEER 34A15	108	196.2	105.4%	25.86	0.0	3.4	30060
Iowa	ISU:Malvern,IA	PIONEER 34A15	108	180.9	97.2%	18.87	0.9	9.2	30000
Iowa	ISU:Winfield,IA	PIONEER 34A15	108	127.2	68.3%	22.23	0.0	0.0	30000
Iowa	PAN:Grinnell,IA	PIONEER 34A15	108	212.2	114.0%	23.60	0.0	0.0	30263
Iowa	PAN:Monticello,IA	PIONEER 34A15	108	179.1	96.2%	27.65	0.0	0.0	30263
<b>Iowa Average</b>				191.9	103.1%	23.97	0.1	7.9	30334
Nebr	HG:Henderson,NE	PIONEER 34A15	108	212.4	98.3%	21.85	0.8	0.0	32250
Nebr	HG:Hooper	PIONEER 34A15	108	176.3	81.6%	20.75	2.1	0.0	25250
Nebr	KMR:Kearney,NE	PIONEER 34A15	108	234.7	108.7%	20.30			31364
Nebr	NE,Arlington	PIONEER 34A15	108	249.1	115.3%	22.58	1.4	3.5	30042
Nebr	NE,Homer	PIONEER 34A15	108	207.0	95.8%	18.60	0.0	0.0	30000
Nebr	NE,York	PIONEER 34A15	108	204.2	94.5%	20.20	4.2	0.0	30000
Nebr	PAN:Columbus,NE	PIONEER 34A15	108	206.1	95.4%	21.35	0.0	0.0	30263
<b>Nebr Average</b>				212.8	98.5%	20.80	1.4	0.6	29881
IL/In	NewHaven,IN	60T07	109	206.9	100.6%	32.10	0.0	0.8	34000
IL/In	Remington,IN	60T07	109	200.0	97.3%	25.15	0.0	0.0	34000
IL/In	IL,Geneseo	60T07	109	218.7	106.4%	31.82	0.0	1.0	27000
IL/In	IL,Rochelle	60T07	109	215.8	105.0%	26.48	5.8	0.0	30000
IL/In	IL,Tonica	60T07	109	200.4	97.5%	26.75	8.0	10.0	30000
IL/In	IL,Walnut Grove	60T07	109	192.1	93.4%	22.58	0.0	0.0	29250
IL/In	PAN:Brookston,IN	60T07	109	203.2	98.8%	23.10	2.8	0.0	31680
IL/In	PAN:Linden,IN	60T07	109	163.4	79.5%	20.65	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	60T07	109	214.2	104.2%	27.15	0.0	0.0	31000
<b>IL/In Average</b>				201.6	98.1%	26.20	1.8	1.3	30957
Iowa	IA,Atalntic	60T07	109	173.0	92.9%	23.75	0.0	0.0	30000
Iowa	IA,Schaller	60T07	109	204.2	109.7%	30.86	0.0	43.7	30000
Iowa	IA,Slater	60T07	109	189.1	101.6%	26.29	0.0	14.2	30060
Iowa	ISU:Malvern,IA	60T07	109	146.2	78.5%	19.61	0.9	2.5	30000
Iowa	ISU:Winfield,IA	60T07	109	146.8	78.8%	23.66	0.0	0.0	30000
Iowa	PAN:Grinnell,IA	60T07	109	193.9	104.1%	24.80	0.0	0.0	30263
Iowa	PAN:Monticello,IA	60T07	109	180.2	96.8%	29.05	0.0	0.0	30263
<b>Iowa Average</b>				176.2	94.6%	25.43	0.1	8.6	30084
Nebr	HG:Henderson,NE	60T07	109	177.0	81.9%	23.45	5.0	0.0	30500
Nebr	HG:Hooper	60T07	109	177.6	82.2%	22.40	0.0	0.0	24500
Nebr	KMR:Kearney,NE	60T07	109	193.4	89.5%	22.52			27879
Nebr	NE,Arlington	60T07	109	200.7	92.9%	23.31	3.4	0.9	30000
Nebr	NE,Homer	60T07	109	211.7	98.0%	19.50	0.0	0.0	30000
Nebr	NE,York	60T07	109	195.1	90.3%	21.22	21.7	0.0	30000
Nebr	PAN:Columbus,NE	60T07	109	198.2	91.8%	21.20	0.0	0.0	30263
<b>Nebr Average</b>				193.4	89.5%	21.94	5.0	0.2	29020
IL/In	NewHaven,IN	61F39	109	217.6	105.8%	32.30	0.8	0.8	34000

12/18/09

## 106 to 114 Day Hybrids Replicated Test Results - BRH 2009

IL/In	Remington,IN	61F39	109	197.0	95.8%	23.25	0.8	0.0	34000
IL/In	IL,Geneseo	61F39	109	220.2	107.1%	28.86	0.0	0.0	26500
IL/In	IL,Rochelle	61F39	109	213.8	104.0%	23.66	2.5	0.0	30000
IL/In	IL,Tonica	61F39	109	229.0	111.4%	24.61	0.0	0.5	30000
IL/In	IL,Walnut Grove	61F39	109	204.9	99.7%	23.79	0.0	0.0	30000
IL/In	PAN:Brookston,IN	61F39	109	210.6	102.4%	21.30	0.7	0.0	31680
IL/In	PAN:Linden,IN	61F39	109	180.6	87.8%	20.15	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	61F39	109	198.6	96.6%	25.90	0.0	0.0	29500
<b>IL/In Average</b>				208.0	101.2%	24.87	0.5	0.1	30818
Iowa	IA,Atalntic	61F39	109	202.4	108.7%	23.05	1.3	0.0	34000
Iowa	IA,Schaller	61F39	109	227.4	122.1%	27.14	0.0	16.7	30000
Iowa	IA,Slater	61F39	109	205.5	110.4%	25.94	0.0	0.0	30060
Iowa	ISU:Malvern,IA	61F39	109	175.4	94.2%	17.13	5.0	5.0	30000
Iowa	ISU:Winfield,IA	61F39	109	145.8	78.3%	21.09	0.0	3.4	30000
Iowa	PAN:Grinnell,IA	61F39	109	216.9	116.5%	24.55	0.8	0.0	30263
Iowa	PAN:Monticello,IA	61F39	109	199.9	107.4%	27.65	0.0	0.0	30263
<b>Iowa Average</b>				196.2	105.4%	23.79	1.0	3.6	30655
Nebr	HG:Henderson,NE	61F39	109	200.2	92.7%	21.10	3.4	0.0	29500
Nebr	HG:Hooper	61F39	109	177.7	82.3%	21.10	1.1	0.0	22500
Nebr	KMR:Kearney,NE	61F39	109	222.4	103.0%	18.65			29185
Nebr	NE,Arlington	61F39	109	232.7	107.7%	21.05	10.0	0.0	30000
Nebr	NE,Homer	61F39	109	156.0	72.2%	18.70	0.0	0.0	30000
Nebr	NE,York	61F39	109	226.1	104.7%	19.82	5.8	0.0	30000
Nebr	PAN:Columbus,NE	61F39	109	214.6	99.4%	20.35	0.0	0.0	30263
<b>Nebr Average</b>				204.2	94.6%	20.11	3.4	0.0	28778
IL/In	NewHaven,IN	63H07	110	208.3	101.3%	31.50	0.8	0.0	34000
IL/In	Remington,IN	63H07	110	201.6	98.1%	26.55	0.8	0.0	30250
IL/In	IL,Geneseo	63H07	110	182.5	88.8%	28.35	2.8	0.9	23000
IL/In	IL,Rochelle	63H07	110	188.0	91.4%	24.30	5.9	0.0	30000
IL/In	IL,Tonica	63H07	110	208.0	101.2%	25.90	0.0	0.5	30000
IL/In	IL,Walnut Grove	63H07	110	189.4	92.1%	22.14	0.0	0.0	30000
IL/In	PAN:Brookston,IN	63H07	110	190.8	92.8%	19.40	8.4	0.0	31680
IL/In	PAN:Linden,IN	63H07	110	176.7	85.9%	17.35	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	63H07	110	236.6	115.1%	28.00	3.4	0.0	30750
<b>IL/In Average</b>				198.0	96.3%	24.83	2.5	0.2	30151
Iowa	IA,Atalntic	63H07	110	202.5	108.8%	20.84	0.0	7.5	30000
Iowa	IA,Schaller	63H07	110	233.9	125.6%	27.70	0.0	44.6	30000
Iowa	IA,Slater	63H07	110	178.0	95.6%	24.75	0.0	0.0	30060
Iowa	ISU:Malvern,IA	63H07	110	186.3	100.1%	19.10	1.7	2.5	30000
Iowa	ISU:Winfield,IA	63H07	110	139.9	75.1%	22.58	0.0	1.7	30000
Iowa	PAN:Grinnell,IA	63H07	110	195.8	105.2%	23.65	0.0	0.0	30263
Iowa	PAN:Monticello,IA	63H07	110	168.9	90.7%	27.40	0.0	3.8	30263
<b>Iowa Average</b>				186.5	100.1%	23.72	0.2	8.6	30084
Nebr	HG:Henderson,NE	63H07	110	215.9	100.0%	21.60	1.6	0.0	31250

12/18/09

## 106 to 114 Day Hybrids Replicated Test Results - BRH 2009

Nebr	HG:Hooper	63H07	110	151.5	70.1%	20.80	1.0	0.0	25000
Nebr	KMR:Kearney,NE	63H07	110	228.5	105.8%	19.08			30057
Nebr	NE,Arlington	63H07	110	236.7	109.6%	22.04	3.3	0.0	30000
Nebr	NE,Homer	63H07	110	198.2	91.8%	18.70	0.0	0.0	30000
Nebr	NE,York	63H07	110	227.1	105.1%	20.02	1.7	0.0	30000
Nebr	PAN:Columbus,NE	63H07	110	219.9	101.8%	20.90	0.0	0.0	30263
<b>Nebr Average</b>				211.1	97.7%	20.45	1.3	0.0	29510
IL/In	NewHaven,IN	64A50	111	241.9	117.7%	29.40	1.5	3.7	34000
IL/In	Remington,IN	64A50	111	195.1	94.9%	28.80	0.8	0.0	34000
IL/In	IL,Geneseo	64A50	111	232.9	113.3%	29.47	0.0	0.0	24000
IL/In	IL,Rochelle	64A50	111	212.2	103.2%	27.32	5.9	0.0	30000
IL/In	IL,Tonica	64A50	111	217.5	105.8%	28.95	0.0	2.5	30000
IL/In	IL,Walnut Grove	64A50	111	178.0	86.6%	26.01	0.0	0.0	30000
IL/In	PAN:Brookston,IN	64A50	111	187.1	91.0%	26.25	0.0	0.0	31680
IL/In	PAN:Linden,IN	64A50	111	177.9	86.5%	22.00	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	64A50	111	220.3	107.1%	30.65	0.0	0.0	31000
<b>IL/In Average</b>				207.0	100.7%	27.65	0.9	0.7	30707
Iowa	IA,Atalntic	64A50	111	193.5	103.9%	26.25	2.5	0.0	30000
Iowa	IA,Schaller	64A50	111	240.5	129.2%	30.99	0.0	42.5	30000
Iowa	IA,Slater	64A50	111	183.6	98.6%	29.60	0.0	0.0	30060
Iowa	ISU:Malvern,IA	64A50	111	173.8	93.3%	18.85	1.7	5.9	30000
Iowa	ISU:Winfield,IA	64A50	111	106.5	57.2%	26.15	0.0	0.0	30000
Iowa	PAN:Grinnell,IA	64A50	111	198.3	106.5%	28.70	0.0	0.0	30263
Iowa	PAN:Monticello,IA	64A50	111	171.3	92.0%	32.35	0.0	0.0	30263
<b>Iowa Average</b>				181.1	97.2%	27.56	0.6	6.9	30084
Nebr	HG:Henderson,NE	64A50	111	211.9	98.1%	23.80	0.0	0.0	31500
Nebr	HG:Hooper	64A50	111	188.1	87.1%	25.30	1.0	0.0	25500
Nebr	KMR:Kearney,NE	64A50	111	230.2	106.6%	22.35			30710
Nebr	NE,Arlington	64A50	111	193.7	89.7%	23.65	0.0	0.0	30000
Nebr	NE,Homer	64A50	111	191.7	88.8%	20.30	0.0	0.0	30000
Nebr	NE,York	64A50	111	233.6	108.1%	20.73	5.8	0.0	30000
Nebr	PAN:Columbus,NE	64A50	111	211.9	98.1%	23.15	0.8	0.0	30263
<b>Nebr Average</b>				208.7	96.6%	22.75	1.3	0.0	29710
IL/In	NewHaven,IN	64F08	111	162.5	79.0%	32.30	0.0	33.8	34000
IL/In	Remington,IN	64F08	111	170.4	82.9%	26.05	0.0	0.0	34000
IL/In	IL,Geneseo	64F08	111	190.0	92.4%	29.66	0.0	4.2	29500
IL/In	IL,Rochelle	64F08	111	199.2	96.9%	26.75	1.7	0.0	30000
IL/In	IL,Tonica	64F08	111	166.2	80.8%	26.08	0.5	4.5	30000
IL/In	IL,Walnut Grove	64F08	111	166.9	81.2%	23.16	0.0	0.0	30000
IL/In	PAN:Brookston,IN	64F08	111	167.8	81.6%	24.00	1.4	0.1	31680
IL/In	PAN:Linden,IN	64F08	111	151.8	73.8%	20.50	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	64F08	111	194.7	94.7%	27.05	0.0	0.0	31500
<b>IL/In Average</b>				174.4	84.8%	26.17	0.4	4.7	31373
Iowa	IA,Atalntic	64F08	111	177.4	95.3%	24.66	0.0	7.5	30000

12/18/09

## 106 to 114 Day Hybrids Replicated Test Results - BRH 2009

Iowa	IA,Schaller	64F08	111	184.3	99.0%	30.44	6.3	47.9	30000
Iowa	IA,Slater	64F08	111	166.1	89.2%	26.76	0.0	16.7	30060
Iowa	ISU:Malvern,IA	64F08	111	139.8	75.1%	19.62	3.3	9.2	30000
Iowa	ISU:Winfield,IA	64F08	111	114.7	61.6%	23.54	0.0	0.0	30000
Iowa	PAN:Grinnell,IA	64F08	111	163.3	87.7%	26.50	0.0	2.3	30263
Iowa	PAN:Monticello,IA	64F08	111	164.8	88.5%	28.75	3.8	0.0	30263
<b>Iowa Average</b>				158.6	85.2%	25.75	1.9	11.9	30084
Nebr	HG:Henderson,NE	64F08	111	159.4	73.8%	21.20	4.5	7.4	33500
Nebr	HG:Hooper	64F08	111	134.1	62.1%	20.95	1.0	0.0	25250
Nebr	KMR:Kearney,NE	64F08	111	210.6	97.5%	19.18			29403
Nebr	NE,Arlington	64F08	111	199.0	92.1%	22.10	1.7	0.9	30000
Nebr	NE,Homer	64F08	111	146.9	68.0%	18.80	0.0	0.0	30000
Nebr	NE,York	64F08	111	195.3	90.4%	19.85	4.2	6.7	30000
Nebr	PAN:Columbus,NE	64F08	111	176.5	81.7%	21.70	0.0	0.0	30263
<b>Nebr Average</b>				174.5	80.8%	20.54	1.9	2.5	29774
IL/In	NewHaven,IN	66H54	112	239.1	116.3%	30.80	0.0	0.0	34000
IL/In	Remington,IN	66H54	112	218.2	106.1%	24.85	0.0	0.0	34000
IL/In	IL,Geneseo	66H54	112	180.2	87.6%	30.24	0.0	0.0	20750
IL/In	IL,Rochelle	66H54	112	199.9	97.2%	24.51	1.7	0.0	30000
IL/In	IL,Tonica	66H54	112	226.2	110.0%	27.53	1.5	0.0	30000
IL/In	IL,Walnut Grove	66H54	112	198.7	96.6%	25.50	0.0	0.0	30000
IL/In	PAN:Brookston,IN	66H54	112	218.0	106.0%	20.05	2.1	0.0	31680
IL/In	PAN:Linden,IN	66H54	112	199.4	97.0%	17.85	0.0	0.0	31680
IL/In	TSI:Windfasll,IN	66H54	112	227.4	110.6%	26.65	3.5	0.0	30250
<b>IL/In Average</b>				211.9	103.1%	25.33	1.0	0.0	30262
Iowa	IA,Atalntic	66H54	112	205.7	110.5%	22.66	1.7	0.0	30000
Iowa	IA,Schaller	66H54	112	235.8	126.6%	30.30	0.0	27.9	30000
Iowa	IA,Slater	66H54	112	210.5	113.1%	27.19	0.0	0.0	30060
Iowa	ISU:Malvern,IA	66H54	112	206.3	110.8%	19.42	0.0	0.0	30000
Iowa	ISU:Winfield,IA	66H54	112	132.5	71.2%	22.77	0.0	0.9	30000
Iowa	PAN:Grinnell,IA	66H54	112	184.8	99.2%	25.40	0.0	0.0	30263
Iowa	PAN:Monticello,IA	66H54	112	160.4	86.1%	32.15	0.0	0.0	30263
<b>Iowa Average</b>				190.9	102.5%	25.70	0.2	4.1	30084
Nebr	HG:Henderson,NE	66H54	112	235.4	109.0%	23.10	5.0	0.0	30000
Nebr	HG:Hooper	66H54	112	195.2	90.4%	21.50	3.9	0.0	25500
Nebr	KMR:Kearney,NE	66H54	112	225.4	104.4%	21.40			30710
Nebr	NE,Arlington	66H54	112	272.5	126.2%	25.61	2.5	0.0	30000
Nebr	NE,Homer	66H54	112	191.5	88.7%	19.40	0.0	0.0	30000
Nebr	NE,York	66H54	112	255.6	118.3%	20.37	12.5	4.2	30000
Nebr	PAN:Columbus,NE	66H54	112	260.3	120.5%	22.05	0.8	0.0	30263
<b>Nebr Average</b>				233.7	108.2%	21.92	4.1	0.7	29496
IL/In	NewHaven,IN	PIONEER 33T56	113	211.6	102.9%	31.10	0.0	1.5	34000
IL/In	Remington,IN	PIONEER 33T56	113	202.2	98.3%	28.00	0.8	0.0	34000
IL/In	IL,Geneseo	PIONEER 33T56	113	228.0	110.9%	29.49	0.0	0.0	26000

12/18/09

## 106 to 114 Day Hybrids Replicated Test Results - BRH 2009

IL/In	IL,Rochelle	PIONEER 33T56	113	237.5	115.5%	27.17	0.0	0.0	30000
IL/In	IL,Tonica	PIONEER 33T56	113	236.5	115.0%	27.15	0.0	0.0	30000
IL/In	IL,Walnut Grove	PIONEER 33T56	113	187.9	91.4%	24.59	0.0	0.0	30000
IL/In	PAN:Brookston,IN	PIONEER 33T56	113	208.8	101.6%	22.90	0.0	0.0	31680
IL/In	PAN:Linden,IN	PIONEER 33T56	113	194.6	94.6%	19.20	0.0	0.0	31680
IL/In	TSI:WindfasII,IN	PIONEER 33T56	113	231.6	112.6%	27.90	0.0	0.0	30750
<b>IL/In Average</b>				215.4	104.8%	26.39	0.1	0.2	30901
Iowa	IA,Atalntic	PIONEER 33T56	113	215.1	115.5%	24.75	0.0	4.2	31000
Iowa	IA,Schaller	PIONEER 33T56	113	233.2	125.2%	29.82	0.0	50.8	30000
Iowa	IA,Slater	PIONEER 33T56	113	218.4	117.3%	26.66	0.0	10.0	30060
Iowa	ISU:Malvern,IA	PIONEER 33T56	113	171.4	92.1%	20.00	0.0	8.4	30000
Iowa	ISU:Winfield,IA	PIONEER 33T56	113	140.7	75.6%	24.19	0.0	0.0	30000
Iowa	PAN:Grinnell,IA	PIONEER 33T56	113	217.7	116.9%	24.60	0.0	0.0	30263
Iowa	PAN:Monticello,IA	PIONEER 33T56	113	153.4	82.4%	29.85	0.0	0.0	30263
<b>Iowa Average</b>				192.8	103.6%	25.70	0.0	10.5	30227
Nebr	HG:Henderson,NE	PIONEER 33T56	113	216.4	100.2%	21.95	0.8	0.0	32250
Nebr	HG:Hooper	PIONEER 33T56	113	178.6	82.7%	21.20	0.0	0.0	24250
Nebr	KMR:Kearney,NE	PIONEER 33T56	113	240.5	111.3%	23.54			30286
Nebr	NE,Arlington	PIONEER 33T56	113	258.7	119.8%	23.73	2.5	0.0	30000
Nebr	NE,Homer	PIONEER 33T56	113	192.2	89.0%	18.70	0.0	0.0	30000
Nebr	NE,York	PIONEER 33T56	113	242.7	112.4%	20.37	0.9	0.0	30000
Nebr	PAN:Columbus,NE	PIONEER 33T56	113	224.2	103.8%	21.20	0.8	0.0	30263
<b>Nebr Average</b>				221.9	102.7%	21.53	0.8	0.0	29578
IL/In	NewHaven,IN	70R50	114	222.5	108.2%	30.95	0.0	0.0	34000
IL/In	Remington,IN	70R50	114	202.7	98.6%	29.05	1.5	0.0	34000
IL/In	IL,Geneseo	70R50	114	162.4	79.0%	30.17	1.6	0.0	15000
IL/In	IL,Rochelle	70R50	114	210.1	102.2%	26.53	2.5	0.0	30000
IL/In	IL,Tonica	70R50	114	204.6	99.5%	27.19	0.5	2.0	30000
IL/In	IL,Walnut Grove	70R50	114	187.1	91.0%	24.26	0.0	0.0	30000
IL/In	PAN:Brookston,IN	70R50	114	207.4	100.9%	22.75	3.5	0.0	31680
IL/In	PAN:Linden,IN	70R50	114	177.5	86.3%	19.90	0.0	0.0	31680
IL/In	TSI:WindfasII,IN	70R50	114	220.3	107.1%	27.50	0.0	0.0	31750
<b>IL/In Average</b>				199.4	97.0%	26.48	1.1	0.2	29790
Iowa	IA,Atalntic	70R50	114	210.7	113.2%	25.78	0.9	3.4	30000
Iowa	IA,Ottumwa	70R50	114						
Iowa	IA,Schaller	70R50	114	219.0	117.6%	29.98	0.0	20.8	30000
Iowa	IA,Slater	70R50	114	199.7	107.3%	28.40	0.0	0.0	30060
Iowa	ISU:Malvern,IA	70R50	114	189.6	101.8%	19.97	1.7	0.9	30000
Iowa	ISU:Winfield,IA	70R50	114	138.1	74.2%	25.92	0.0	0.0	30000
Iowa	PAN:Grinnell,IA	70R50	114	190.5	102.3%	25.30	0.0	0.0	30263
Iowa	PAN:Monticello,IA	70R50	114	143.8	77.2%	29.05	0.0	0.0	30263
<b>Iowa Average</b>				184.5	99.1%	26.34	0.4	3.6	30084
Nebr	HG:Henderson,NE	70R50	114	218.4	101.1%	23.00	0.0	0.0	31000
Nebr	HG:Hooper	70R50	114	179.7	83.2%	23.05	3.1	0.0	25000

12/18/09

106 to 114 Day Hybrids Replicated Test Results - BRH 2009

Nebr	KMR:Kearney,NE	70R50	114	244.1	113.0%	23.49			28968
Nebr	NE,Arlington	70R50	114	222.9	103.2%	24.90	4.2	0.0	26500
Nebr	NE,Homer	70R50	114	163.6	75.7%	19.80	0.0	0.0	30000
Nebr	NE,York	70R50	114	240.3	111.3%	21.44	12.5	1.7	30000
Nebr	PAN:Columbus,NE	70R50	114	206.0	95.4%	22.35	0.0	0.0	30263
<b>Nebr Average</b>				210.7	97.6%	22.58	3.3	0.3	28819