

12/18/09

99 to 107 Day Blue River Hybrids Replicated Tests - 2009

Area	Loc	Hybrid	Mat	Yield	% of Loc Average	Moist	% SL	% RL	Popn		
Can/Mich 2	Canada:Shrewsbury	44R57	99	262.6	134.5%	27.05	5.0	na	na		
Can/Mich 2	TSI:Blissfield,MI	44R57	99	166.3	85.2%	19.45	1.9	0.0	26750		
Can/Mich 2 Average				214.5	109.8%	23.25	3.5	0.0	26750		
IL/In 6	NewHaven,IN	44R57	99	210.3	104.8%	26.55	0.0	0.0	34000		
IL/In 6	Remington,IN	44R57	99	196.5	98.0%	20.15	1.5	0.0	34000		
IL/In 6	IL,Geneseo	44R57	99	198.2	98.8%	24.25	2.6	0.0	22000		
IL/In 6	IL,Tonica	44R57	99	222.3	110.8%	22.44	0.0	1.0	30000		
IL/In 6	PAN:Brookston,IN	44R57	99	201.5	100.4%	17.60	0.0	0.0	31680		
IL/In 6	TSI:Bluffton,IN	44R57	99	191.8	95.6%	22.20	0.0	0.0	30250		
IL/In 6 Average				203.4	101.4%	22.20	0.7	0.2	30322		
Iowa 10	IA,Schaller	44R57	99	228.6	121.1%	21.74	0.0	54.2	30000		
Iowa 10	IA,Slater	44R57	99	176.9	93.7%	21.18	0.0	3.4	30060		
Iowa 10	ISU:Maynard,IA	44R57	99	208.0	110.2%	22.96	0.0	0.0	30000		
Iowa 10	ISU:Pocahontas,IA	44R57	99	217.3	115.1%	21.17	0.0	20.8	30000		
Iowa 10	ISU:Sheldon,IA	44R57	99	115.3	61.1%	37.95	0.9	0.9	30000		
Iowa 10	PAN:Grinnell,IA	44R57	99	205.8	109.0%	20.20	0.0	0.0	30263		
Iowa 10	PAN:Monticello,IA	44R57	99	161.6	85.6%	24.70	0.8	0.0	30263		
Iowa 10	IA,Dike	44R57	99	185.4	98.2%	19.80	0.0	4.7	27000		
Iowa 10	IA,Grafton	44R57	99	181.3	96.0%	27.50	6.7	10.0	30000		
Iowa 10	ISU:Manilla,IA	44R57	99	213.6	113.1%	17.65	0.0	0.0	30000		
Iowa 10 Average				189.4	100.3%	23.49	0.8	9.4	29759		
Nebr 5	HG:Hooper	44R57	99	178.7	88.0%	20.00	0.0	0.0	25250		
Nebr 5	KMR:Norfolk,NE	44R57	99	195.3	96.2%	21.55	0.8	0.0	25918		
Nebr 5	NE,Arlington	44R57	99	233.2	114.8%	19.13	10.0	0.0	30000		
Nebr 5	NE,Homer	44R57	99	205.2	101.0%	14.36	16.7	0.0	30000		
Nebr 5	PAN:Columbus,NE	44R57	99	200.5	98.7%	17.55	0.8	0.0	30263		
Nebr 5 Average				202.6	99.7%	18.52	5.7	0.0	28286		
Wisc/ IL 2	IFSI:Janesville,WI	44R57	99	170.7	90.4%	28.75	0.0	0.0	31440		
Wisc/ IL 2	IL,Rochelle	44R57	99	200.7	106.3%	19.84	1.7	1.1	30000		
Wisc/ IL 2 Average				185.7	98.4%	24.30	0.9	0.6	30720		
					44R57 Average	197.1	101.1%	22.23	2.0	4.0	29547
Can/Mich 2	Canada:Shrewsbury	48B30	101	246.7	126.3%	26.35	0.0	na	na		
Can/Mich 2	TSI:Blissfield,MI	48B30	101	138.8	71.1%	19.35	1.8	0.0	28000		
Can/Mich 2 Average				192.8	98.7%	22.85	0.9	0.0	28000		
IL/In 6	NewHaven,IN	48B30	101	201.9	100.6%	25.95	0.0	0.0	34000		

12/18/09

99 to 107 Day Blue River Hybrids Replicated Tests - 2009

IL/In 6	Remington,IN	48B30	101	172.3	85.9%	21.30	0.0	0.0	34000	
IL/In 6	IL,Geneseo	48B30	101	178.6	89.0%	26.92	0.0	0.0	14886	
IL/In 6	IL,Tonica	48B30	101	227.7	113.5%	22.77	0.0	0.0	30000	
IL/In 6	PAN:Brookston,IN	48B30	101	180.9	90.2%	20.55	4.2	0.0	31680	
IL/In 6	TSI:Bluffton,IN	48B30	101	176.5	88.0%	22.05	0.0	0.0	25750	
IL/In 6 Average				189.7	94.5%	23.26	0.7	0.0	28386	
Iowa 10	IA,Schaller	48B30	101	245.6	130.1%	23.61	0.0	8.3	30000	
Iowa 10	IA,Slater	48B30	101	178.9	94.8%	20.45	0.0	0.0	30060	
Iowa 10	ISU:Maynard,IA	48B30	101	176.9	93.7%	21.74	18.3	1.7	30000	
Iowa 10	ISU:Pocahontas,IA	48B30	101	187.0	99.0%	22.69	25.8	1.7	30000	
Iowa 10	ISU:Sheldon,IA	48B30	101	151.1	80.0%	36.11	1.7	0.0	30000	
Iowa 10	PAN:Grinnell,IA	48B30	101	185.8	98.4%	20.60	0.0	0.0	30263	
Iowa 10	PAN:Monticello,IA	48B30	101	206.2	109.2%	24.45	0.0	0.0	30263	
Iowa 10	IA,Dike	48B30	101	171.6	90.9%	20.35	0.0	0.0	27000	
Iowa 10	IA,Grafton	48B30	101	171.1	90.6%	27.55	1.7	31.7	30000	
Iowa 10	ISU:Manilla,IA	48B30	101	212.4	112.5%	17.70	1.7	0.0	30000	
Iowa 10 Average				188.7	99.9%	23.53	4.9	4.3	29759	
Nebr 5	HG:Hooper	48B30	101	160.9	79.2%	19.50	2.0	0.0	25000	
Nebr 5	KMR:Norfolk,NE	48B30	101	209.2	103.0%	21.67	0.0	0.0	28750	
Nebr 5	NE,Arlington	48B30	101	238.3	117.3%	20.76	5.0	0.0	30000	
Nebr 5	NE,Homer	48B30	101	194.7	95.9%	15.76	0.0	0.0	30000	
Nebr 5	PAN:Columbus,NE	48B30	101	217.6	107.1%	18.30	0.0	0.0	30263	
Nebr 5 Average				204.1	100.5%	19.20	1.4	0.0	28803	
Wisc/ IL 2	IFSI:Janesville,WI	48B30	101	190.3	100.8%	26.20	0.0	0.0	30480	
Wisc/ IL 2	IL,Rochelle	48B30	101	189.4	100.3%	20.82	2.8	0.0	30000	
Wisc/ IL 2 Average				189.9	100.6%	23.51	1.4	0.0	30240	
				48B30 Average	192.4	98.7%	22.54	2.6	1.8	29183
Can/Mich 2	Canada:Shrewsbury	Ex 51A57	102	245.1	125.5%	25.95	0.0	na	na	
Can/Mich 2	TSI:Blissfield,MI	Ex 51A57	102	141.5	72.5%	19.60	6.8	0.0	28750	
Can/Mich 2 Average				193.3	99.0%	22.78	3.4	0.0	28750	
IL/In 6	NewHaven,IN	Ex 51A57	102	214.0	106.7%	25.85	0.0	0.8	34000	
IL/In 6	Remington,IN	Ex 51A57	102	183.5	91.5%	22.35	2.2	0.0	34000	
IL/In 6	IL,Geneseo	Ex 51A57	102	178.7	89.1%	24.54	0.0	0.0	18000	
IL/In 6	IL,Tonica	Ex 51A57	102	220.0	109.7%	22.23	0.0	0.0	30000	
IL/In 6	PAN:Brookston,IN	Ex 51A57	102	194.6	97.0%	21.75	2.1	0.0	31680	
IL/In 6	TSI:Bluffton,IN	Ex 51A57	102	193.3	96.4%	23.45	0.0	0.0	29500	

12/18/09

99 to 107 Day Blue River Hybrids Replicated Tests - 2009

IL/In 6 Average				197.4	98.4%	23.36	0.7	0.1	29530
Iowa 10	IA,Schaller	Ex 51A57	102	263.2	139.4%	23.63	0.0	27.1	30000
Iowa 10	IA,Slater	Ex 51A57	102	175.3	92.8%	20.95	0.0	0.0	30060
Iowa 10	ISU:Maynard,IA	Ex 51A57	102	205.2	108.7%	22.44	3.4	0.0	30000
Iowa 10	ISU:Pocahontas,IA	Ex 51A57	102	226.1	119.8%	22.74	4.2	11.7	30000
Iowa 10	ISU:Sheldon,IA	Ex 51A57	102	140.5	74.4%	35.96	2.5	5.0	30000
Iowa 10	PAN:Grinnell,IA	Ex 51A57	102	213.9	113.3%	21.65	0.0	0.0	30263
Iowa 10	PAN:Monticello,IA	Ex 51A57	102	191.9	101.6%	25.00	0.0	0.0	30263
Iowa 10	IA,Dike	Ex 51A57	102	161.4	85.5%	20.05	0.0	0.0	27000
Iowa 10	IA,Grafton	Ex 51A57	102	181.2	96.0%	26.35	5.9	12.5	30000
Iowa 10	ISU:Manilla,IA	Ex 51A57	102	202.2	107.1%	18.35	1.7	0.0	30000
Iowa 10 Average				196.1	103.9%	23.71	1.8	5.6	29759
Nebr 5	HG:Hooper	Ex 51A57	102	172.7	85.0%	20.25	3.9	0.0	24500
Nebr 5	KMR:Norfolk,NE	Ex 51A57	102	200.8	98.9%	21.86	0.8	0.0	28096
Nebr 5	NE,Arlington	Ex 51A57	102	217.5	107.1%	19.64	0.9	0.0	30000
Nebr 5	NE,Homer	Ex 51A57	102	180.0	88.6%	15.25	0.0	0.0	30000
Nebr 5	PAN:Columbus,NE	Ex 51A57	102	178.3	87.8%	17.50	1.5	0.0	30263
Nebr 5 Average				189.9	93.5%	18.90	1.4	0.0	28572
Wisc/ IL 2	IFSI:Janesville,WI	Ex 51A57	102	171.8	91.0%	29.95	0.0	0.0	30480
Wisc/ IL 2	IL,Rochelle	Ex 51A57	102	195.1	103.3%	21.54	0.6	1.1	30000
Wisc/ IL 2 Average				183.5	97.2%	25.75	0.3	0.6	30240
		Ex 51A57 Average		193.9	99.5%	22.75	1.5	2.4	29452
Can/Mich 2	Canada:Shrewsbury	PIONEER 36B08	102	213.1	109.1%	26.45	0.0	na	na
Can/Mich 2	TSI:Blissfield,MI	PIONEER 36B08	102	153.3	78.5%	19.65	0.0	0.0	24250
Can/Mich 2 Average				183.2	93.8%	23.05	0.0	0.0	24250
IL/In 6	NewHaven,IN	PIONEER 36B08	102	187.0	93.2%	25.65	0.8	0.8	34000
IL/In 6	Remington,IN	PIONEER 36B08	102	157.9	78.7%	19.25	2.2	0.0	34000
IL/In 6	IL,Geneseo	PIONEER 36B08	102	187.7	93.6%	25.96	2.4	0.0	22114
IL/In 6	IL,Tonica	PIONEER 36B08	102	184.0	91.7%	22.87	0.0	4.3	30000
IL/In 6	PAN:Brookston,IN	PIONEER 36B08	102	195.4	97.4%	17.45	0.0	0.0	31680
IL/In 6	TSI:Bluffton,IN	PIONEER 36B08	102	182.8	91.1%	24.20	0.0	0.0	31000
IL/In 6 Average				182.5	91.0%	22.56	0.9	0.9	30466
Iowa 10	IA,Schaller	PIONEER 36B08	102	203.4	107.7%	23.36	0.0	32.4	29625
Iowa 10	IA,Slater	PIONEER 36B08	102	167.5	88.7%	23.61	0.0	4.2	30060
Iowa 10	ISU:Maynard,IA	PIONEER 36B08	102	164.4	87.1%	23.30	8.4	2.5	30000
Iowa 10	ISU:Pocahontas,IA	PIONEER 36B08	102	190.5	100.9%	23.39	0.9	13.4	30000

12/18/09

99 to 107 Day Blue River Hybrids Replicated Tests - 2009

Iowa 10	ISU:Sheldon,IA	PIONEER 36B08	102	72.9	38.6%	41.41	1.7	0.0	30000
Iowa 10	PAN:Grinnell,IA	PIONEER 36B08	102	197.6	104.7%	22.85	0.0	0.0	30263
Iowa 10	PAN:Monticello,IA	PIONEER 36B08	102	194.3	102.9%	25.35	0.0	0.0	30263
Iowa 10	IA,Dike	PIONEER 36B08	102	141.5	74.9%	20.10	0.0	4.7	27000
Iowa 10	IA,Grafton	PIONEER 36B08	102	157.5	83.4%	28.15	6.7	4.2	30000
Iowa 10	ISU:Manilla,IA	PIONEER 36B08	102	211.3	111.9%	19.10	5.9	0.0	30000
Iowa 10 Average				170.1	90.1%	25.06	2.4	6.1	29721
Nebr 5	HG:Hooper	PIONEER 36B08	102	154.7	76.2%	19.85	1.0	0.0	24750
Nebr 5	KMR:Norfolk,NE	PIONEER 36B08	102	184.8	91.0%	22.40	0.9	0.5	27008
Nebr 5	NE,Arlington	PIONEER 36B08	102	175.9	86.6%	20.65	0.9	0.0	30000
Nebr 5	NE,Homer	PIONEER 36B08	102	148.0	72.9%	16.34	0.0	0.0	30000
Nebr 5	PAN:Columbus,NE	PIONEER 36B08	102	172.3	84.8%	18.35	0.0	0.0	30263
Nebr 5 Average				167.1	82.3%	19.52	0.6	0.1	28404
Wisc/ IL 2	IFSI:Janesville,WI	PIONEER 36B08	102	157.7	83.5%	29.00	0.0	0.0	30000
Wisc/ IL 2	IL,Rochelle	PIONEER 36B08	102	183.1	97.0%	21.17	2.8	0.6	30000
Wisc/ IL 2 Average				170.4	90.3%	25.09	1.4	0.3	30000
PIONEER 36B08 Average				173.5	89.1%	23.19	1.4	2.8	29428
Can/Mich 2	Canada:Shrewsbury	53R57	103	269.9	138.2%	26.70	1.7	na	na
Can/Mich 2	TSI:Blissfield,MI	53R57	103	159.4	81.6%	21.50	3.5	0.0	29500
Can/Mich 2 Average				214.7	109.9%	24.10	2.6	0.0	29500
IL/In 6	NewHaven,IN	53R57	103	226.9	113.1%	26.80	0.0	0.8	34000
IL/In 6	Remington,IN	53R57	103	178.6	89.0%	20.20	0.8	0.0	34000
IL/In 6	IL,Geneseo	53R57	103	225.6	112.5%	27.24	0.0	0.0	26000
IL/In 6	IL,Tonica	53R57	103	238.1	118.7%	22.43	0.7	0.0	30000
IL/In 6	PAN:Brookston,IN	53R57	103	220.6	110.0%	20.30	3.5	0.0	31680
IL/In 6	TSI:Bluffton,IN	53R57	103	190.3	94.9%	23.05	2.0	0.0	26750
IL/In 6 Average				213.4	106.4%	23.34	1.2	0.1	30405
Iowa 10	IA,Schaller	53R57	103	228.8	121.2%	25.18	0.0	19.6	30000
Iowa 10	IA,Slater	53R57	103	191.8	101.6%	20.65	0.0	8.4	30060
Iowa 10	ISU:Maynard,IA	53R57	103	221.5	117.3%	22.14	1.7	1.7	30000
Iowa 10	ISU:Pocahontas,IA	53R57	103	237.6	125.8%	23.66	0.9	4.2	30000
Iowa 10	ISU:Sheldon,IA	53R57	103	138.9	73.6%	38.67	5.0	1.7	30000
Iowa 10	PAN:Grinnell,IA	53R57	103	211.5	112.0%	22.40	0.0	0.0	30263
Iowa 10	PAN:Monticello,IA	53R57	103	189.3	100.3%	24.05	0.8	0.0	30263
Iowa 10	IA,Dike	53R57	103	182.6	96.7%	19.90	0.0	6.5	27000
Iowa 10	IA,Grafton	53R57	103	174.1	92.2%	30.40	0.0	12.5	30000

12/18/09

99 to 107 Day Blue River Hybrids Replicated Tests - 2009

Iowa 10	ISU:Manilla,IA	53R57	103	230.2	121.9%	18.45	2.5	0.0	30000
Iowa 10 Average				200.6	106.3%	24.55	1.1	5.5	29759
Nebr 5	HG:Hooper	53R57	103	205.6	101.2%	21.90	6.2	0.0	24500
Nebr 5	KMR:Norfolk,NE	53R57	103	253.1	124.6%	22.51	1.4	0.0	31799
Nebr 5	NE,Arlington	53R57	103	219.4	108.0%	19.92	5.0	1.7	30000
Nebr 5	NE,Homer	53R57	103	179.8	88.5%	16.47	0.0	0.0	30000
Nebr 5	PAN:Columbus,NE	53R57	103	224.4	110.5%	17.40	0.0	0.0	30263
Nebr 5 Average				216.5	106.6%	19.64	2.5	0.3	29312
Wisc/ IL 2	IFSI:Janesville,WI	53R57	103	204.3	108.2%	27.75	0.0	0.0	30720
Wisc/ IL 2	IL,Rochelle	53R57	103	214.7	113.7%	21.32	15.6	0.0	30000
Wisc/ IL 2 Average				209.5	111.0%	24.54	7.8	0.0	30360
53R57 Average				208.7	107.0%	23.24	2.1	2.4	29867
Can/Mich 2	Canada:Shrewsbury	PIONEER 36W66	104	226.2	115.8%	27.15	0.0	na	na
Can/Mich 2	TSI:Blissfield,MI	PIONEER 36W66	104	157.2	80.5%	20.30	0.0	0.0	27750
Can/Mich 2 Average				191.7	98.2%	23.73	0.0	0.0	27750
IL/In 6	NewHaven,IN	PIONEER 36W66	104	209.0	104.2%	27.80	0.8	0.0	34000
IL/In 6	Remington,IN	PIONEER 36W66	104	172.8	86.1%	19.00	1.5	0.0	34000
IL/In 6	IL,Geneseo	PIONEER 36W66	104	237.9	118.6%	26.70	0.0	0.0	26500
IL/In 6	IL,Tonica	PIONEER 36W66	104	191.1	95.3%	21.81	0.0	0.3	30000
IL/In 6	PAN:Brookston,IN	PIONEER 36W66	104	181.6	90.5%	20.85	0.0	0.0	31680
IL/In 6	TSI:Bluffton,IN	PIONEER 36W66	104	196.6	98.0%	23.85	0.0	0.0	31250
IL/In 6 Average				198.2	98.8%	23.34	0.4	0.1	31238
Iowa 10	IA,Schaller	PIONEER 36W66	104	206.7	109.5%	24.04	0.0	22.9	30000
Iowa 10	IA,Slater	PIONEER 36W66	104	185.1	98.0%	22.95	0.0	5.0	30060
Iowa 10	ISU:Maynard,IA	PIONEER 36W66	104	211.2	111.9%	21.30	0.0	0.0	30000
Iowa 10	ISU:Pocahontas,IA	PIONEER 36W66	104	248.5	131.6%	22.80	0.0	0.0	30000
Iowa 10	ISU:Sheldon,IA	PIONEER 36W66	104	119.9	63.5%	36.12	1.7	1.7	30000
Iowa 10	PAN:Grinnell,IA	PIONEER 36W66	104	197.7	104.7%	21.40	0.0	0.0	30263
Iowa 10	PAN:Monticello,IA	PIONEER 36W66	104	195.8	103.7%	23.75	0.8	0.0	30263
Iowa 10	IA,Dike	PIONEER 36W66	104	157.6	83.5%	19.50	0.0	11.1	27000
Iowa 10	IA,Grafton	PIONEER 36W66	104	162.7	86.2%	25.65	0.0	35.0	30000
Iowa 10	ISU:Manilla,IA	PIONEER 36W66	104	220.4	116.7%	18.55	0.9	0.0	30000
Iowa 10 Average				190.6	100.9%	23.61	0.3	7.6	29759
Nebr 5	HG:Hooper	PIONEER 36W66	104	179.9	88.6%	19.00	0.0	0.0	25750
Nebr 5	KMR:Norfolk,NE	PIONEER 36W66	104	201.7	99.3%	21.64	0.0	0.0	29839
Nebr 5	NE,Arlington	PIONEER 36W66	104	215.8	106.3%	19.85	4.2	0.0	30000

12/18/09

99 to 107 Day Blue River Hybrids Replicated Tests - 2009

Nebr 5	NE,Homer	PIONEER 36W66	104	197.6	97.3%	16.32	0.0	0.0	30000
Nebr 5	PAN:Columbus,NE	PIONEER 36W66	104	224.4	110.5%	17.70	0.0	0.0	30263
Nebr 5 Average				203.9	100.4%	18.90	0.8	0.0	29170
Wisc/ IL 2	IFSI:Janesville,WI	PIONEER 36W66	104	193.7	102.6%	25.80	0.0	0.0	30240
Wisc/ IL 2	IL,Rochelle	PIONEER 36W66	104	196.7	104.2%	21.27	0.0	0.0	30000
Wisc/ IL 2 Average				195.2	103.4%	23.54	0.0	0.0	30120
	PIONEER 36W66 Average			195.5	100.3%	22.60	0.4	3.2	29952
Can/Mich 2	Canada:Shrewsbury	PIONEER 35A30	105	262.2	134.3%	27.70	5.0	na	na
Can/Mich 2	TSI:Blissfield,MI	PIONEER 35A30	105	153.6	78.6%	20.00	2.0	0.0	28000
Can/Mich 2 Average				207.9	106.5%	23.85	3.5	0.0	28000
IL/In 6	NewHaven,IN	PIONEER 35A30	105	233.9	116.6%	27.50	0.0	0.0	34000
IL/In 6	Remington,IN	PIONEER 35A30	105	192.6	96.0%	22.90	0.0	0.0	34000
IL/In 6	IL,Geneseo	PIONEER 35A30	105	213.1	106.2%	27.79	0.0	0.0	20000
IL/In 6	IL,Tonica	PIONEER 35A30	105	231.1	115.2%	23.96	0.3	0.0	30000
IL/In 6	PAN:Brookston,IN	PIONEER 35A30	105	199.4	99.4%	21.55	0.0	0.0	31680
IL/In 6	TSI:Bluffton,IN	PIONEER 35A30	105	213.1	106.2%	25.30	0.0	0.0	28000
IL/In 6 Average				213.9	106.6%	24.83	0.1	0.0	29613
Iowa 10	IA,Schaller	PIONEER 35A30	105	231.5	122.6%	25.08	0.0	27.1	30000
Iowa 10	IA,Slater	PIONEER 35A30	105	198.5	105.1%	21.04	0.0	1.7	30060
Iowa 10	ISU:Maynard,IA	PIONEER 35A30	105	213.8	113.2%	23.21	0.0	0.0	30000
Iowa 10	ISU:Pocahontas,IA	PIONEER 35A30	105	237.6	125.8%	22.70	0.9	5.9	30000
Iowa 10	ISU:Sheldon,IA	PIONEER 35A30	105	124.9	66.2%	38.19	0.0	0.0	30000
Iowa 10	PAN:Grinnell,IA	PIONEER 35A30	105	219.3	116.2%	21.15	0.0	0.0	30263
Iowa 10	PAN:Monticello,IA	PIONEER 35A30	105	200.2	106.0%	25.05	0.8	0.0	30263
Iowa 10	IA,Dike	PIONEER 35A30	105	197.1	104.4%	20.10	0.0	4.7	27000
Iowa 10	IA,Grafton	PIONEER 35A30	105	190.2	100.7%	28.80	0.0	10.4	29250
Iowa 10	ISU:Manilla,IA	PIONEER 35A30	105	207.9	110.1%	18.25	0.9	0.0	30000
Iowa 10 Average				202.1	107.0%	24.36	0.3	5.0	29684
Nebr 5	HG:Hooper	PIONEER 35A30	105	204.0	100.4%	21.60	0.0	0.0	24500
Nebr 5	KMR:Norfolk,NE	PIONEER 35A30	105	235.4	115.9%	23.11	0.0	0.0	27008
Nebr 5	NE,Arlington	PIONEER 35A30	105	234.1	115.3%	20.85	6.7	0.0	30000
Nebr 5	NE,Homer	PIONEER 35A30	105	223.5	110.0%	17.60	0.0	0.0	30000
Nebr 5	PAN:Columbus,NE	PIONEER 35A30	105	213.2	105.0%	18.50	0.0	0.0	30263
Nebr 5 Average				222.0	109.3%	20.33	1.3	0.0	28354
Wisc/ IL 2	IFSI:Janesville,WI	PIONEER 35A30	105	199.7	105.8%	28.75	0.0	0.0	30720
Wisc/ IL 2	IL,Rochelle	PIONEER 35A30	105	224.9	119.1%	22.88	8.3	0.0	30000

12/18/09

99 to 107 Day Blue River Hybrids Replicated Tests - 2009

Misc/ IL 2 Average				212.3	112.4%	25.82	4.2	0.0	30360
PIONEER 35A30 Average				210.2	107.8%	23.74	1.0	2.1	29375
Can/Mich 2	Canada:Shrewsbury	56M30	106	259.4	132.8%	26.55	0.0	na	na
Can/Mich 2	TSI:Blissfield,MI	56M30	106	172.4	88.3%	22.20	3.6	0.0	28250
Can/Mich 2 Average				215.9	110.5%	24.38	1.8	0.0	28250
IL/In 6	NewHaven,IN	56M30	106	237.1	118.2%	29.05	0.0	0.0	34000
IL/In 6	Remington,IN	56M30	106	201.0	100.2%	22.00	0.0	0.0	34000
IL/In 6	IL,Geneseo	56M30	106	221.5	110.4%	28.21	0.0	0.0	24000
IL/In 6	IL,Tonica	56M30	106	216.2	107.8%	24.98	0.3	4.3	30000
IL/In 6	PAN:Brookston,IN	56M30	106	205.5	102.4%	20.45	1.4	0.0	31680
IL/In 6	TSI:Bluffton,IN	56M30	106	212.8	106.1%	26.00	0.0	0.0	31500
IL/In 6 Average				215.7	107.5%	25.12	0.3	0.7	30863
Iowa 10	IA,Schaller	56M30	106	243.0	128.7%	24.89	0.0	54.2	30000
Iowa 10	IA,Slater	56M30	106	194.3	102.9%	23.50	0.0	0.0	30060
Iowa 10	ISU:Maynard,IA	56M30	106	219.0	116.0%	26.20	1.7	5.9	30000
Iowa 10	ISU:Pocahontas,IA	56M30	106	215.3	114.0%	26.59	0.0	30.8	30000
Iowa 10	ISU:Sheldon,IA	56M30	106	114.4	60.6%	40.02	0.9	0.0	30000
Iowa 10	PAN:Grinnell,IA	56M30	106	210.9	111.7%	23.15	0.0	0.8	30263
Iowa 10	PAN:Monticello,IA	56M30	106	183.9	97.4%	27.25	0.0	0.0	30263
Iowa 10	IA,Dike	56M30	106	172.8	91.5%	20.05	0.0	10.2	27000
Iowa 10	IA,Grafton	56M30	106	161.8	85.7%	31.80	0.0	45.9	30000
Iowa 10	ISU:Manilla,IA	56M30	106	237.8	126.0%	19.55	0.9	0.0	30000
Iowa 10 Average				195.3	103.5%	26.30	0.4	14.8	29759
Nebr 5	HG:Hooper	56M30	106	187.4	92.3%	22.35	0.0	0.0	24750
Nebr 5	KMR:Norfolk,NE	56M30	106	242.2	119.3%	21.73	0.7	0.0	30492
Nebr 5	NE,Arlington	56M30	106	245.4	120.8%	21.51	9.2	0.0	30000
Nebr 5	NE,Homer	56M30	106	212.6	104.7%	17.19	0.0	0.0	30000
Nebr 5	PAN:Columbus,NE	56M30	106	223.1	109.8%	18.30	0.8	0.0	30263
Nebr 5 Average				222.1	109.4%	20.22	2.1	0.0	29101
Wisc/ IL 2	IFSI:Janesville,WI	56M30	106	197.0	104.3%	30.05	0.0	0.0	30960
Wisc/ IL 2	IL,Rochelle	56M30	106	222.7	118.0%	22.46	3.9	1.7	30000
Misc/ IL 2 Average				209.9	111.1%	26.26	2.0	0.9	30480
56M30 Average				208.4	106.8%	24.64	0.9	6.4	29895
Can/Mich 2	Canada:Shrewsbury	57H36	107	274.5	140.6%	27.30	0.0	na	na
Can/Mich 2	TSI:Blissfield,MI	57H36	107	138.9	71.1%	22.30	8.0	0.0	27250
Can/Mich 2 Average				206.7	105.8%	24.80	4.0	0.0	27250

12/18/09

99 to 107 Day Blue River Hybrids Replicated Tests - 2009

IL/In 6	NewHaven,IN	57H36	107	222.6	111.0%	26.90	0.0	0.0	34000	
IL/In 6	Remington,IN	57H36	107	208.4	103.9%	23.05	2.2	0.0	34000	
IL/In 6	IL,Geneseo	57H36	107	153.4	76.5%	29.00	0.0	0.0	16500	
IL/In 6	IL,Tonica	57H36	107	217.9	108.6%	25.58	1.7	2.0	30000	
IL/In 6	PAN:Brookston,IN	57H36	107	210.1	104.7%	21.35	1.4	0.0	31680	
IL/In 6	TSl:Bluffton,IN	57H36	107	183.6	91.5%	25.60	0.0	0.0	29750	
IL/In 6 Average				199.3	99.4%	25.25	0.9	0.3	29322	
Iowa 10	IA,Schaller	57H36	107	240.2	127.2%	25.94	0.0	10.4	30000	
Iowa 10	IA,Slater	57H36	107	195.8	103.7%	26.01	0.0	0.0	30060	
Iowa 10	ISU:Maynard,IA	57H36	107	197.2	104.4%	27.91	1.7	0.0	30000	
Iowa 10	ISU:Pocahontas,IA	57H36	107	207.5	109.9%	25.43	1.7	5.0	30000	
Iowa 10	ISU:Sheldon,IA	57H36	107	144.2	76.4%	40.76	0.9	0.9	30000	
Iowa 10	PAN:Grinnell,IA	57H36	107	186.5	98.8%	23.95	0.0	0.0	30263	
Iowa 10	PAN:Monticello,IA	57H36	107	175.7	93.1%	28.65	1.5	3.8	30263	
Iowa 10	IA,Dike	57H36	107	177.4	94.0%	21.00	0.0	7.4	27000	
Iowa 10	IA,Grafton	57H36	107	176.9	93.7%	30.20	0.0	30.9	30000	
Iowa 10	ISU:Manilla,IA	57H36	107	218.0	115.5%	21.15	3.4	0.9	30000	
Iowa 10 Average				191.9	101.7%	27.10	0.9	5.9	29759	
Nebr 5	HG:Hooper	57H36	107	210.6	103.7%	23.10	0.0	0.0	25500	
Nebr 5	KMR:Norfolk,NE	57H36	107	227.7	112.1%	23.84	0.0	0.0	30492	
Nebr 5	NE,Arlington	57H36	107	244.1	120.2%	21.55	5.0	0.0	30000	
Nebr 5	NE,Homer	57H36	107	231.0	113.7%	18.57	0.0	0.0	30000	
Nebr 5	PAN:Columbus,NE	57H36	107	234.4	115.4%	19.40	0.0	0.0	30263	
Nebr 5 Average				229.6	113.0%	21.29	1.0	0.0	29251	
Wisc/ IL 2	IFSI:Janesville,WI	57H36	107	188.6	99.9%	31.20	0.0	0.0	30960	
Wisc/ IL 2	IL,Rochelle	57H36	107	206.8	109.5%	23.38	2.2	0.0	30000	
Wisc/ IL 2 Average				197.7	104.7%	27.29	1.1	0.0	30480	
				57H36 Average	202.9	104.0%	25.32	1.2	2.6	29499
Can/Mich 2	Canada:Shrewsbury	Ex 57B10cnv	107	251.5	128.8%	26.75	0.0	na	na	
Can/Mich 2	TSl:Blissfield,MI	Ex 57B10cnv	107	161.3	82.6%	21.00	2.7	0.0	29000	
Can/Mich 2 Average				206.4	105.7%	23.88	1.4	0.0	29000	
IL/In 6	NewHaven,IN	Ex 57B10cnv	107	242.5	120.9%	28.30	0.0	0.0	34000	
IL/In 6	Remington,IN	Ex 57B10cnv	107	226.5	112.9%	22.20	0.0	0.0	34000	
IL/In 6	IL,Geneseo	Ex 57B10cnv	107	227.9	113.6%	28.35	0.0	0.0	26000	
IL/In 6	IL,Tonica	Ex 57B10cnv	107	230.7	115.0%	22.35	0.7	0.0	30000	
IL/In 6	PAN:Brookston,IN	Ex 57B10cnv	107	226.9	113.1%	22.05	0.7	0.0	31680	

12/18/09

99 to 107 Day Blue River Hybrids Replicated Tests - 2009

IL/In 6	TSI:Bluffton,IN	Ex 57B10cnv	107	207.3	103.3%	27.30	0.0	0.0	30250
IL/In 6 Average				227.0	113.1%	25.09	0.2	0.0	30988
Iowa 10	IA,Schaller	Ex 57B10cnv	107	235.1	124.5%	24.88	1.3	25.0	30000
Iowa 10	IA,Slater	Ex 57B10cnv	107	187.2	99.2%	25.49	0.0	3.4	30060
Iowa 10	ISU:Maynard,IA	Ex 57B10cnv	107	190.3	100.8%	22.79	3.4	2.5	30000
Iowa 10	ISU:Pocahontas,IA	Ex 57B10cnv	107	197.7	104.7%	24.42	0.0	23.3	30000
Iowa 10	ISU:Sheldon,IA	Ex 57B10cnv	107	142.1	75.3%	37.37	0.0	0.0	30000
Iowa 10	PAN:Grinnell,IA	Ex 57B10cnv	107	216.4	114.6%	23.45	0.0	0.0	30263
Iowa 10	PAN:Monticello,IA	Ex 57B10cnv	107	207.0	109.6%	24.30	0.8	0.0	30263
Iowa 10	IA,Dike	Ex 57B10cnv	107	175.9	93.2%	20.55	0.0	0.0	27000
Iowa 10	IA,Grafton	Ex 57B10cnv	107	181.5	96.1%	29.20	1.7	4.2	30000
Iowa 10	ISU:Manilla,IA	Ex 57B10cnv	107	228.9	121.2%	18.55	4.2	0.0	30000
Iowa 10 Average				196.2	103.9%	25.10	1.1	5.8	29759
Nebr 5	HG:Hooper	Ex 57B10cnv	107	169.1	83.3%	21.90	0.0	0.0	24750
Nebr 5	KMR:Norfolk,NE	Ex 57B10cnv	107	215.1	105.9%	22.68	1.6	0.0	27443
Nebr 5	NE,Arlington	Ex 57B10cnv	107	249.4	122.8%	21.20	1.7	0.0	30000
Nebr 5	NE,Homer	Ex 57B10cnv	107	183.9	90.5%	16.84	0.0	0.0	30000
Nebr 5	PAN:Columbus,NE	Ex 57B10cnv	107	215.8	106.3%	18.50	0.0	0.0	30263
Nebr 5 Average				206.7	101.8%	20.22	0.7	0.0	28491
Wisc/ IL 2	IFSI:Janesville,WI	Ex 57B10cnv	107	189.3	100.3%	25.95	0.0	0.0	31680
Wisc/ IL 2	IL,Rochelle	Ex 57B10cnv	107	219.3	116.2%	23.03	0.6	1.7	30000
Wisc/ IL 2 Average				204.3	108.2%	24.49	0.3	0.9	30840
		Ex 57B10cnv Average		207.1	106.2%	23.98	0.8	2.5	29861